

**COMMUNICATIONS IN AGRICULTURAL AND  
APPLIED BIOLOGICAL SCIENCES**

Formerly known as

**MEDEDELINGEN FACULTEIT LANDBOUWKUNDIGE  
EN TOEGEPASTE BIOLOGISCHE WETENSCHAPPEN**

**PUBLISHERS**

Prof. Pascal Boeckx  
Prof. Peter Bossier  
Prof. Guy Smagghe  
Prof. Els Van Damme  
Prof. Niko Verhoest  
Bjorn Vandekerkhove

**EDITORIAL ADDRESS**

Coupure links 653  
9000 Gent (Belgium)

Website: <http://www.fbw.ugent.be/>

ISSN 1379-1176

**The contents of the contributions published in this book are under the full responsibility of the authors. The organizing committee cannot be held responsible for any errors in this publication and potential consequences thereof.**

**Proceedings**

**66<sup>th</sup>  
INTERNATIONAL SYMPOSIUM  
ON CROP PROTECTION**

**Editorial Address  
Coupure links 653  
9000 Gent (Belgium)**

**Gent, May 20, 2014**

**Part I**

**PATRONS**

Faculty of Bioscience Engineering, Ghent University, Gent, Belgium  
Research Foundation – Flanders, Brussels, Belgium

Arche, Gent, Belgium  
BASF Crop Protection, Brussels, Belgium  
Bayer CropScience, Brussel, Belgium  
Biobest Biological Systems, Westerlo, Belgium  
Certis Europe, Brussels, Belgium  
Conviron Germany, Berlin, Germany  
Croda Europe Ltd., East Yorkshire, United Kingdom  
Dow Agrosiences, Edegem, Belgium  
DuPont, Mechelen, Belgium  
Evonik Industries AG, Essen, Germany  
Fytolab, Gent, Belgium  
Institute of Isotopes, Budapest, Hungary  
LemnaTec, Wuerselen, Germany  
Novolab, Geraardsbergen, Belgium  
Olympus, Aartselaar, Belgium  
Prime Diagnostics, Wageningen, the Netherlands  
Syngenta Crop Protection, Brussel, Belgium  
VWR International, Leuven, Belgium  
Wil Research Europe, 's Hertogenbosch, the Netherlands

**ORGANIZING COMMITTEE**

HONORARY  
CHAIRMEN

**D. DEGHEELE (†), W. DEJONCKHEERE (†),  
A. GILLARD, R.H. KIPS (†), C. PELERENTS,  
J. POPPE, W. STEURBAUT, J. STRYCKERS (†),  
J. VAN DEN BRANDE (†), W. WELVAERT**

ORGANIZING  
COMMITTEE

**B. DE CAUWER (Chair), P. DE CLERCQ, M. HÖFTE,  
M. MOENS, P. SPANOGHE, G. SMAGGHE, L. TIRRY**

**B. VANDEKERKHOVE (Secretary-general)  
H. VAN BOST (Assistant-secretary)**

ADVISORY  
COMMITTEE

**D. BYLEMANS, J. COOSEMANS, P. CORNELIS,  
M. DEMEULEMEESTER, R. DE VIS, B. GOBIN,  
G. HAESAERT, M. MAES, E. PRINSEN, D. REHEUL,  
E. VAN BOCKSTAELE, Els VAN DAMME,  
J. VANDENBROECK, G. VAN HUYLENBROECK,  
M.C. VAN LABEKE**

## SECTIONS

### Chairmen

- D. BAETS**, Diegem, Belgium
- K. DE JONGHE**, Merelbeke, Belgium
- R-U. EHLERS**, Schwentimental, Germany
- H. HUMMEL**, Giessen, Germany
- C. KEMPENAAR**, Wageningen, the Netherlands
- M. MAES**, Merelbeke, Belgium
- R. REIGNAULT**, Calais, France

### Vice-chairmen

- B. BECK**, Merelbeke, Belgium
- T. BELIEN**, Sint-Truiden, Belgium
- J. DEBODE**, Merelbeke, Belgium
- B. DECAUWER**, Ghent, Belgium
- D. DE VLEESSCHAUWER**, Ghent, Belgium
- A. LEGREVE**, Louvain-la-Neuve, Belgium
- L. MOLENAAR**, Wageningen, the Netherlands
- A.J. MOURAD**, Alexandria, Egypt

**CONTENTS**

<b>Plenary Session</b>	1
<b>P. Kudsk</b>	
Integrated weed management: the solution to challenges that European farmers are facing	3
<b>Abstract</b>	9
<b>L.H. Ziska</b>	
Climate change, CO <sub>2</sub> and weed biology: threats and consequences	11
<b>Special Session – Integrated control of soil-borne diseases</b>	13
<b>M.A. Streminska, W.T. Runia, A.J. Termorshuizen, H. Feil and W.G. Van der Wurff</b>	
Anaerobic soil disinfestation in microcosms of two sandy soils	15
<b>G. Gilardi, S. Demarchi, M.L. Gullino and A. Garibaldi</b>	
Varietal resistance to control Fusarium wilts of leafy vegetables under greenhouse	21
<b>Abstracts</b>	29
<b>J. Debode, W. Wesemael, N. Ebrahimi, P. Cremelies, T. D’hose, B. Vandecasteele, N. Viaene and M. Maes</b>	
Can biochar play a role in crop protection?	31
<b>S. Deketelaere, L. Tyvaert, K. Spiessens, L. De Rooster, S. Pollet, D. Callens and M. Höfte</b>	
Practical use of endophytic <i>Verticillium</i> VT305 for biological control of Verticillium wilt in cauliflower	32
<b>P. Deltour, E. Velkeneers, S.C. França, O.L. Pereira, I. Cardoso and M. Höfte</b>	
Soil spots suppressive to banana Fusarium wilt in an agroforestry system in Brazil	33
<b>F.E. Olorunleke, N. Geudens, T.J. Onyeka, L. Bertier, Nam Phuong Kieu and M. Höfte</b>	
Diversity and bioactivity of biosurfactant-producing Pseudomonads isolated from cocoyam rhizosphere in Nigeria and Cameroon	34

<b>Posters – Integrated control of soil-borne diseases</b>	35
<b>M. Pugliese, A. Benetti, G. Gilardi, M.L. Gullino and A. Garibaldi</b> Control of soil-borne diseases by different composts in potted vegetable crops	37
<b>Abstracts</b>	41
<b>L. Tyvaert, L. Depotter, S.C. França and M. Höfte</b> Role of <i>Verticillium</i> VT305 in the interaction of <i>V. dahliae</i> with tomato	43
<b>S.C. França, L. Wachters, A. Bogaert, A. Decombel, L. De Rooster, P. Bleyaert and M. Höfte</b> <i>Trichoderma virens</i> : a potential antagonist against <i>Rhizoctonia solani</i> in Belgium lettuce greenhouses?	44
<b>Session 1 – Herbology</b>	45
<b>F. Rys, D. Van Wesemael, D. Van Haecke, E. Mechant and B. Gobin</b> Mulches and other cover materials to reduce weed growth in container-grown nursery stock	47
<b>S. Heijting and C. Kempenaar</b> Variable rate application of soil herbicides in arable crops: from theory to practice	53
<b>F. Henriët, L. Mattheeuws and M. Verbiest</b> Evolutions of a black-grass population submitted to diverse crop systems	63
<b>V. Derycke, L. Latré, E. Van de Vijver, B. De Roo, B. De Cauwer and G. Haesaert</b> Weed population in relation to crop rotation and nitrogen fertilisation	71
<b>S. Claerhout, B. De Cauwer and D. Reheul</b> Herbicide sensitivity of <i>Echinochloa crus-galli</i> populations: a comparison between cropping systems	81
<b>Abstracts</b>	89
<b>G. Pinke, J. Csiky, A. Mesterházy, L. Tari, R.W. Pál, B. Crúc and Z. Botta-Dukát</b> Effects of management factors on weed species composition in Hungarian rice fields	91
<b>G. Pinke and R.M. Gunton</b> Relating rarity values of arable weed communities to agricultural intensification	92



<b>Posters – Herbology</b>	95
<b>G. Bárdi, I. Molnár, I. Somlyay, E. Tóth, R. Novák, A. Hornyak and P. Ughy</b> Efficacy of ethametsulfuron-methyl herbicide formulation in winter oilseed rape weed control in Hungary	97
<b>E. Horváth and R. Szabó</b> Weed surveying of Phacelia ( <i>Phacelia tanacetifolia</i> L.) and evaluating the efficiency of the weed control	99
<b>D. Isik, M. Dok, K. Ak, I. Macit, Z. Demir and H. Mennan</b> Use of cover crops for weed suppression in hazelnut ( <i>Corylus avellana</i> L.) in Turkey	105
<b>Abstracts</b>	111
<b>P. Hamouz, M. Kolářová and K. Hamouzová</b> Site-specific weed management in winter crops	113
<b>M. Kolářová, L. Tyšer, P. Hamouz and J. Soukup</b> $\gamma$ -diversity of arable fields in the Czech Republic	114
<b>Session 2 – Agricultural entomology and acarology</b>	115
<b>J. Audenaert, D. Vangansbeke, R. Verhoeven, P. De Clercq, L. Tirry and B. Gobin</b> The influence of variable temperature and humidity on the predation efficiency of <i>P. persimilis</i> , <i>N. californicus</i> and <i>N. fallacis</i>	117
<b>E. Mechant, E. Pauwels and B. Gobin</b> Climate conditions affecting the within-plant spread of broad mites on Azalea	123
<b>H.A. Mesbah, N.A. El-Sayed, M.B. El-Kady, A.K. Mourad, A.H. Kordy and Z.M. Hehaidy</b> Toxic activity and delayed effects of five botanical oils on the following generations of <i>Agrotis ipsilon</i> (Hufnagel) (Insecta: Lepidoptera: Noctuidae) after parents treatment	129
<b>A. Puangsomchit, V. Bullangpoti and W. Pluempanupat</b> Toxicity of <i>Alpinia galanga</i> (Zingiberaceae) rhizome extracts against <i>Spodoptera litura</i> (Lepidoptera: Noctuidae)	145
<b>F. Barsics, M. Fiers, M-L. Fauconnier, H. Jijakli, F. Francis, E. Haubruge and F.J. Verheggen</b> Assessing the foraging behavior of <i>Agriotes sordidus</i> wireworms in dual-choice olfactometers	151

<b>Abstracts</b>	157
<b>L. De Backer, R. Caparros Megido, M-L. Fauconnier and F.J. Verheggen</b> <i>Macrolophus pygmaeus</i> Rambur (Heteroptera: Miridae) attraction to HIPVS re- leased by tomato under infestation by the leafminer <i>Tuta absoluta</i> Meyrick (Lepi- doptera: Gelechiidae)	159
<b>D. Vangansbeke, Duc Tung Nguyen, J. Audenaert, R. Verhoeven</b> Food supplements for <i>Ambryseius swirskii</i> to enhance thrips control: less is more?	160
<b>G. Luybaert, J. Witters, J. Van Huylbroeck, J. De Riek and P. De Clercq</b> Genetic variance against broad mites ( <i>Polyphagotarsonemus latus</i> ) in a <i>Rhodo- dendron simsii</i> hybrid gene pool	161
<b>R-U. Ehlers</b> Biological control of western corn rootworm larvae ( <i>Diabrotica virgifera virgifera</i> ) with Dianem® ( <i>Heterorhabditis bacteriophora</i> )	162
<b>C. De Clerck, S. Leonard, P. Joncour, M.H. Jijakli and S. Massart</b> High throughput sequencing of aphid haemolymph reveals endosymbiont diver- sity	163
<b>U. Wyss</b> Film documentation of the behavior and development of the codling moth <i>Cydia pomonella</i>	164
<b>U. Wyss</b> Film documentation of the behavior and development of the Mediterranean fruit fly (Medfly) <i>Ceratitis capitata</i>	165
<b>Posters – Agricultural entomology and acarology</b>	167
<b>T. Belien, T. Thys, C. Fassotte, C. Walrant, M. Tomme, M. Bolen and D. Bylamans</b> Population dynamics of <i>Drosophila suzuki</i> (Diptera: Drosophilidae) in Belgium in 2013	169
<b>T. Stefanovska, S. Kucherovska and V. Pisdliisnyuk</b> Assessing of herbivorous and beneficial insects on switchgrass in Ukraine	177
<b>H.A. Mesbah, Nagda A. El-Sayed, Magda B. El-Kady, E.H. Tayeb, A.K. Mourad, A.M. Kordy and Zeinab M. Henaidy</b> Efficiency of prepared baits of lone or/and admixed four botanical oils on the via- bility of successive raised generations of <i>Agrotis ipsilon</i> (Hufnagel) (Insecta: Lepi- doptera: Noctuidae) after treating the parent ones	185

<b>M. Nannini, F. Atzori, R. Pesci and F. Sanna</b> Native larval parasitoids associated with <i>Tuta absoluta</i> (Meyrick) in greenhouse tomato crops of southern Sardinia	199
<b>M. Nannini, F. Atzori, G. Murgia, R. Pesci, F. Sanna and S. Sau</b> Contribution of a generalist predator and a larval parasitoid for the control of <i>Tuta absoluta</i> (Meyrick) on greenhouse tomatoes	205
<b>J. Audenaert, M. Vissers and B. Gobin</b> Testing side-effects of common pesticides on <i>A. swirskii</i> under greenhouse circumstances	207
<b>H.E. Hummel, S.S. Langner, G. Leithold and H. Schmutterer</b> Neem: unusually versatile plant genus <i>Azadirachta</i> with many useful and so far insufficiently exploited properties for agriculture, medicine and industry	211
<b>Y. Phankaen, W. Pluempanupat, A.K. Mourad and V. Bullangpoti</b> Bioefficacy of <i>Piper ribesoides</i> (Piperaceae) extracts against <i>Nilaparvata lugens</i> Stal. (Homoptera: Delphacidae)	229
<b>T. Maison, T. Ruttanaphan, P. Pipattanaporn, P. Chuawong, V. Bullangpoti and W. Pluempanupat</b> Antifeedant activity of crude extracts from stems and leaves of <i>Tadegagi triquetrum</i> (L.) Ohashi and seeds of <i>Phaseolus lathyroides</i> against <i>Helicoverpa armigera</i> Hübner (Lepidoptera: Noctuidae)	233
<b>E. Bangels, G. Peusens, D. Bylemans and T. Belien</b> Biology and control of the apple mealybug <i>Phenacoccus aceris</i> (Signoret) in Belgium	239
<b>D. Inđić, S. Vuković, P. Kljajić, S. Gvozdenc, S. Tanasković and G. Andrić</b> Control of <i>Diabrotica virgifera virgifera</i> Le Conte in maize seed treatment	245
<b>A.M. Kordy, O.A. Zaghoul and A.K. Mourad</b> Proposed measures of control management of the grape moth, <i>Lobesia botrana</i> Den and Schiff (Lepidoptera: Tortricidae), in reference to infestation percentages, yield loss and economics of control in Egypt	253
<b>E. Winter, C. Midega, T. Bruce, H.E. Hummel, S.S. Langner, G. Leithold, Z. Khan and J. Pickett</b> Exploiting chemical ecology for livelihood improvement of small holder farmers in Kenya	265
<b>M. Tarasin</b> Thermal modification of rubberwood to increase its resistance against Asian subterranean termites	279

<b>Abstracts</b>	283
<b>T. Lopes, E. Bosquée, D. Honba, L. Serteyn, J. Lian Chen, L. Yong and F. Francis</b> Effect of wheat/oilseed rape and wheat/pea associations on the diversity of aphids and phidophagous beneficials	285
<b>E. Bosquée, T. Lopes, L. Serteyn, J.L. Chen, L. Yong and F. Francis</b> Evaluation of the aphid and aphidophagous beneficials diversity in a pea and potato association	286
<b>A. Vandereycken, B. Fasotte, D. Durieux, E. Joie, E. Haubruge, F. Francis and F. Verheggen</b> Five years of <i>Aphidophagous</i> species sampling in Belgian corn	287
<b>N. Dassonville, A. Gaschen and V. Gosset</b> <i>Ephedrus cerasicola</i> Stary, an aphid parasitoid species (Hymenoptera, Braconidae): advantages for aphid control on horticultural crops	288
<b>W. Rattanapun</b> Preliminary evaluation of grass aphid banker plant system for supporting predatory lady beetle in greenhouse vegetable	289
<b>N. Francesena, G. Smaghe, T. Stadler and M.I. Schneider</b> Behavioural changes in <i>Eretmocerus mundus</i> (Hymenoptera: Aphelinidae) by insecticides action	290
<b>L. Mirande, M. Haramboure, G. Smaghe, M.F.A. Reinoso, N. Desneux and M.I. Schneider</b> Side-effects of four insecticides on <i>Harmonia axyridis</i> eggs (Coleoptera: Coccinellidae)	291
<b>N. Zapata, M. Vargas, E.J.M. Van Damme and G. Smaghe</b> Screening of insecticidal activity by crude protein extracts from bulbs of Chilean amaryllidaceae against the aphid <i>Acyrtosiphon pisum</i>	292
<b>M.E. Pérez, M.F.A. Reinoso, G. Smaghe, G.P. Romanelli, M.I. Schneider and J.C. Autino</b> Lethal and sublethal effects of ethyl cinnamate on <i>Tuta absoluta</i> eggs	293
<b>Session 3 – Nematology</b>	295
<b>C. Kapp, S.G. Storey and A.P. Malan</b> Organic vs conventional: soil nematode community structure and function	297
<b>J. Hoek and L.P.G. Molendijk</b> Damage research with <i>P. penetrans</i> in asparagus plants	301

<b>E. Raaijmakers</b>	
Use of green manure crops and sugar beet varieties to control <i>Heterodera betae</i>	309
<b>Abstracts</b>	321
<b>T. Addis, A. Teshome, O. Strauch and R-U. Ehlers</b>	
Comparison of life history traits of the entomopathogenic nematodes <i>Steinernema feltiae</i> and <i>Steinernema riobrave</i>	323
<b>F. Mokriani, L. Waeyenberge, N. Viaene, F. Abbad Andaloussi and M. Moens</b>	
The $\beta$ -1,4-endoglucanase gene is suitable for the molecular quantification of the root-lesion nematode, <i>Pratylenchus thornei</i>	324
<b>F. Toumi, L. Waeyenberge, N. Viaene, A. Dababat, J.M. Nicol, F.C. Ogbonnaya and M. Moens</b>	
Quantitative detection of <i>Heterodera avenae</i> and <i>H. latipons</i> using QPCR	325
<b>Y.Y. Mei, S. Mantelin, A. Haegeman, K. Wright, G. Gheysen and J.T. Jones</b>	
Investigating the function of <i>Globodera pallida</i> sprysec effectors	326
<b>S. Khanam, A.M. Akanda, A. Ali, T. Kyndt and G. Gheysen</b>	
Reactions of different rice genotypes to rice stem nematode <i>Ditylenchus angustus</i>	327
<b>T. Vleugels, W. Wesemael and H. De Clercq</b>	
Resistance mechanisms against the root-knot nematode ( <i>Meloidogyne chitwoodi</i> ) in fodder radish ( <i>Raphanus sativus</i> )	328
<b>Posters – Nematology</b>	329
<b>T. Stefanovska and V. Pisdliisnyuk</b>	
Evaluation of virulence of <i>Steinernema carpocapsae</i> European mole cricket <i>Gryllotalpa gryllotalpa</i> L.	331
<b>Abstracts</b>	335
<b>M. Radivojević and N. Grujić</b>	
Effect of Vydate® 10G (oxamyl 10%) on <i>Pratylenchus thornei</i> and <i>P. neglectus</i> in young sugar beet	337
<b>P. Leonetti and L. Rosso</b>	
A new methyltransferase gene: knowledge regarding plants-parasitic nematode	338
<b>P. Leonetti, A. Costanza and S. Molinari</b>	
Epigenetic investigations in plant-nematode interactions	339

<b>S. Beelaert, N. De Sutter, I. Vandevelde and N. Viaene</b>	
The pin nematode <i>Paratylenchus</i> spp. and damage in greenhouse lettuce	340
<b>M. Jahani, T. Kynt, G. Gheysen and A. Goverse</b>	
Plant hormone modulation in response to <i>Meloidogyne incognita</i> infection in <i>Arabidopsis thaliana</i>	341
<b>C.L. Oliveira, M.S. Oliveira, A.A. Oliveira, D.A. Queiroz, V.P. Campos, W.R. Maluf and L.A.A. Gomes</b>	
Reactions of different genotypes of common bean to <i>Meloidogyne incognita</i>	342

Vol 79(3) 343-580 (2014)

**COMMUNICATIONS IN AGRICULTURAL AND  
APPLIED BIOLOGICAL SCIENCES**

Formerly known as

**MEDEDELINGEN FACULTEIT LANDBOUWKUNDIGE  
EN TOEGEPASTE BIOLOGISCHE WETENSCHAPPEN**

**PUBLISHERS**

Prof. Pascal Boeckx  
Prof. Peter Bossier  
Prof. Guy Smagghe  
Prof. Els Van Damme  
Prof. Niko Verhoest  
Bjorn Vandekerkhove

**EDITORIAL ADDRESS**

Coupure links 653  
9000 Gent (Belgium)

Website: <http://www.fbw.ugent.be/>

ISSN 1379-1176

**The contents of the contributions published in this book are under the full responsibility of the authors. The organizing committee cannot be held responsible for any errors in this publication and potential consequences thereof.**



**Proceedings**

**66<sup>th</sup>  
INTERNATIONAL SYMPOSIUM  
ON CROP PROTECTION**

**Editorial Address  
Coupure links 653  
9000 Gent (Belgium)**

**Gent, May 20, 2014**

**Part II**



## CONTENTS

<b>Session 4 – Phytopathology I</b>	343
<b>O. Grunert, E. Hernandez-Sanabria, M. Perneel, M-C. Van Labeke, D. Reheul and N. Boon</b>	
Molecular insights on the functional microbial community from organic and mineral growing media and its interaction with <i>Agrobacterium rhizogenes</i>	345
<b>P. Leonetti, A. Costanza, M.C. Zonno, S. Molinari and C. Altomare</b>	
How fungi interact with nematode to activate the plant defence response to tomato plants	357
<b>Abstracts</b>	365
<b>N. Van Hese, A. Bogaert, I. Vandevelde, S. Buysens, P. Bleyaert, K. Heungens and M. Höfte</b>	
Refined decision support model for sustainable control of downy mildew on greenhouse-grown lettuce	367
<b>H.M. Rodriguez, M. Bandte, G. Fischer and C. Büttner</b>	
Efficiency of potassium chlorate (KClO) to inactivate plant pathogens in nutrient solution	368
<b>K. Van Poucke, G. O’Keefe, M. De Backer, D.D. Davis, M. Maes and K. Heungens</b>	
Unlabelled probe melting analysis for SNP genotyping of <i>Puccinia horiana</i> isolates	369
<b>K. De Jonghe, I. De Rood, M. Maes, T. Olivier, S. Steyer, F. Fauche, G. Peusens and T. Belien</b>	
Status and epidemiology of pear decline Candidatus <i>Phytoplasma pyri</i> , (PD) and apple proliferation (Candidatus <i>phytoplasma mali</i> , AP) in Belgium	370
<b>N. Van Bogaert, G. Smagghe, E.J.M. Van Damme, G. Meesen, M. Maes and K. De Jonghe</b>	
Detecting pospiviroids in plants and insects by means of QPCR and confocal laser scanning microscopy	371
<b>T. Van Delm, P. Melis, K. Stoffels and W. Baets</b>	
Integration of biofungicides to control strawberry powdery mildew	372
<b>M. Frans, C. Sauvillier, M. Van Mechelen, K. Heungens, K. Van Poucke, B. Van Calenberge, L. Van Herck and R. Aerts</b>	
Sustainable control of internal fruit rot in bell pepper: a multidisciplinary approach	373

<b>S. Rombouts, C. Allonsius, A. Volckaert, T. De Langhe, B. Declercq, J. Van Vaerenbergh, R. Lavigne and M. Maes</b>	
Isolation and characterization of novel phages against <i>Xanthomonas campestris</i> pv. <i>campestris</i> and <i>Pseudomonas syringae</i> pv. <i>porri</i>	374
<b>M. Vandecasteele, S. Landschoot, K. Audenaert, M. Höfte, S. De Saeger and G. Haesaert</b>	
Characterization of <i>Alternaria</i> species on Flemish potato	375
<b>L. De Bruyne, C. Van Poucke, D. Wu, B. Gillian Turgeon, S. De Saeger and M. Höfte</b>	
Phytotoxin production by the rice brown spot pathogen, <i>Cochliobolus miyabeanus</i>	376
<b>Session 5 – Phytopathology II</b>	377
<b>N. Naouari, A. Siah, B. Randoux, M. Elgazzah, Ph. Reignault and P. Halama</b>	
Characterization of a Tunisian population of <i>Mycosphaerella graminicola</i> using mitochondrial DNA markers	379
<b>J. Smith, S. Waterhouse and N. Paveley</b>	
Evidence for reduced sexual reproduction of <i>Zymoseptoria tritici</i> following treatment with fluxapyroxad and implications for initial infection of wheat crops	385
<b>L. Somai-Jemmali, B. Randoux, A. Siah, M. Ors, P. Halama, Ph. Reignault and W. Hamada</b>	
Efficacy and modes of action of resistance inducers on two wheat species against <i>Mycosphaerella graminicola</i>	397
<b>G. Mustafa, B. Tisserant, B. Randoux, J. Fontaine, A. Lounes-Hadj Sahraoui and Ph. Reignault</b>	
Mechanisms involved in mycorrhizal wheat protection against powdery mildew	403
<b>M. Ors, A. Siah, B. Randoux, S. Selim, G. Couleaud, C. Maumene, K. Sahmer, Ph. Reignault and P. Halama</b>	
Protection efficacy and modes of action of two resistance inducers on wheat against <i>Septoria tritici</i> blotch	411
<b>Abstracts</b>	421
<b>P. Hellin, G. Dedeurwaerder, M. Duvivier, B. Huybrechts, A. Callebaut and A. Legrève</b>	
Presence of mycotoxins in conjunction with the <i>Fusarium</i> species occurring in Belgian winter wheat fields	423

<b>B. Tubana, M. Kongchum, T. Babu, J-M. Rabasse and L. Datnoff</b> Effect of foliar formulation of bio-available silicon on grain yield and silicon uptake of rice under greenhouse conditions	424
<b>F. Bafort, O. Parisi, J-P. Barthélemy, J-P. Perraudin and H.M. Jijakli</b> Characterization of hypoiodide and hypothiocyanate ions, two active molecules against plant pathogens	425
<b>J. Xu, M. Höfte and D. De Vleeschauwer</b> Plant hormone-mediated interkingdom signalling moulds rice defence responses towards <i>Xanthomonas oryzae</i> pv. <i>oryzae</i>	426
<b>O. Filipe, G. Hofman, P. Canlas, R. Sharma, E. De Waele, P. Ronald, M. Höfte and D. De Vleeschauwer</b> Linking growth to defence: the emerging roles of SnRK1 and TOR kinases in orchestrating plant innate immunity	427
<b>C. Shang, H. Soren Seifi, I. Delaere, M. Höfte and E.J.M. Van Damme</b> Effect(s) of overexpression of ribosome-inactivating proteins from apple on disease resistance	428
<b>P. Tavormina, J. Neukermans, C. Vos, B.P.A. Cammue and B. De Coninck</b> Novel players in plant stress response: micropeptides and/or long noncoding RNAs?	429
<b>J. Van Hove and E.J.M. Van Damme</b> The euonymus related lectin from <i>Arabidopsis</i> is involved in stomatal movement and confers resistance against <i>Pseudomonas syringae</i>	430
<b>Posters – Phytopathology</b>	431
<b>A. Fanigliulo, A. Viggiano, A. Gualco and A. Crescenzi</b> Control of viral diseases transmitted in a persistent manner by thrips in pepper (Tomato spotted wilt virus)	433
<b>A. La Torre, F. Caradonia, M. Gianferro, M.G. Molinu and V. Battaglia</b> Activity of natural products against some phytopathogenic fungi	439
<b>T. Venditti, L. Cubaiu, G. D'hallewin and G. Ladu</b> Effectiveness of three GRAS compounds in the in vitro control of two <i>Penicillium italicum</i> strains	451
<b>T. Vleugels and E. Van Bockstaele</b> Heritability of clover rot resistance ( <i>Sclerotinia</i> spp.) in red clover ( <i>Trifolium pratense</i> ) populations	459

<b>T. Olivier, F. Fauche and E. Demonty</b>	
Distribution of 'Candidatus phytoplasma mali' in infected apple trees in Belgium	463
<b>N. Alliou, A. Siah, L. Brinis, Ph. Reignault and P. Halama</b>	
Bothe MAT1 and MAT1-2 mating types of <i>Mycosphaerella graminicola</i> occur at equal frequencies in Algeria	469
<b>R. Stef, I. Grozea, C. Puia, A. Carabet, M. Vlad and D. Manea</b>	
The effect of seed treatment on the main pathogens present in wheat agro-ecosystems	473
<b>O. Treikale, B. Javoisha, E. Pugacheva, Z. Vigule and L. Feodorova-Fedotova</b>	
Northern leaf blight <i>Helminthosporium turcicum</i> on maize in Latvia	481
<b>G. D'hallewin, T. Venditti, L. Cubaiu, G. Ladu and P. Renati</b>	
Effects of electromagnetically signalized media on host-pathogen interaction	487
<b>Abstracts</b>	493
<b>H. Alizadeh, K. Behboudi and P.A.H.M. Bakker</b>	
Combining <i>Trichoderma</i> and <i>Pseudomonas</i> increases efficacy of induced systemic resistance against <i>Fusarium oxysporum</i> f.sp. <i>radicis cucumerinum</i> on cucumber	495
<b>I. Hammadeh, J. Destain and Ph. Thonart</b>	
Production of antifungal chitinase by <i>Bacillus subtilis</i> B114	496
<b>M. Ates and G. Karaca</b>	
Determination of the antagonism mechanisms of mycoparasitic <i>Pythium</i> species against <i>Fusarium oxysporum</i> f.sp. <i>lycopersici</i> (FOL) and <i>Botrytis cinerea</i> on tomatoes	497
<b>T. Vanwalleghem, D. Dekeyser, D. Nuyttens, A. Tsige, P. Verboven, D. Bylemans and W. Van Hemelrijck</b>	
Influence of fungicides on biological control organisms	498
<b>J. Muchembled, A. Yaguiyan, C. Deweer and P. Halama</b>	
Antifungal activities in vitro and in vivo of essential oil (EO) against <i>Zymoseptoria tritici</i>	499
<b>L. Razanakoto Mamiharisoa, S. Massart, O. Parisi, C. De Clerck, C. Rabemantsoa, M. El Jaziri, R. Rakotozandrindrainy and M.H. Jijakli</b>	
Screening of essential oils on rice pathogens isolated in Madagascar	500
<b>A. Kaddes, S. Massart and M.J. Jijakli</b>	
Effect of two volatiles organic compounds on barley seeds attacked by <i>Fusarium culmorum</i> and <i>Cochliobolus sativus</i>	501

<b>M. De Backer, T. De Langhe, L. De Rooster, S. Darwich, D. Callens, M. Maes and K. De Jonghe</b>	
Tolerance to CMV, WMV and ZYMV based on zucchini variety trials in Flanders	502
<b>P.J. Van Leeuwen, R.H.L. Dees and G.J. Van Os</b>	
Elicitor induced defence responses against of bacterial soft rot in <i>Zantedeschia</i>	503
<b>N. Yardimci, M. Çulal Kiliç and G. Ürgen</b>	
Three emerging viruses affecting greenhouse tomato crops in the west Mediterranean region of Turkey: Pepino mosaic virus (PEPMV), tomato spotted wilt virus (TSWV) and tomato yellow leaf curl begimovirus (TYLCV)	504
<b>G. Le Mire, A. Siah, M. Deleu, M. Ongena, M-L. Fauconnier and H. Jijakli</b>	
A methodology for elicitor screening of winter wheat infected by STB and FHB	505
<b>L. Bosmans, R. Moerkens, L. Wittemans, B. Van Calenberge, S. Van Kerckhove, A. Paeleman, R. De Mot, H. Rediers and B. Lievens</b>	
Phylogeny and genetic diversity of <i>Agrobacterium</i> strains causing “Hairy roots”	506
<b>A. Ceustermans, M. Van Geel, O. Honnay, B. Lievens, D. Bylemans and W. Van Hemelrijck</b>	
Existing diversity of mycorrhizal fungi in apple orchards	507
<b>M.A. Parra, A. Ibarra, D.C. Cifuentes and J.A. Martinez</b>	
Interactions between <i>Pythium ultimum</i> and rhizosphere bacteria causing stem rot in broccoli	508
<b>F. Salimi, M. Javan-Nikkhah, F. Padasht Dehkayi, H. Soltanlou and H. Alizadeh</b>	
Genetic diversity of <i>Magnaporthe oryzae</i> at the leaf and panicle neck levels in the same rice field and determination of mating type	509
<b>Session 6 – Application technology, pesticide residues, toxicology and ecotoxicology</b>	511
<b>C. Olivier, J-P. Goffart, D. Baets, D. Xanthoulis, N. Fonder, G. Lognay, J-P. Barthélemy and P. Lebrun</b>	
Use of micro-dams in potato furrows to reduce erosion and run-off and minimise surface water contamination through pesticides	513
<b>H. Wustenberghs, D. Fevery, C. De Schaetzen, I. Delcour, K. D’Haene, L. Lauwers, F. Marchand, N. Taragola, W. Steurbaut and P. Spanoghe</b>	
Playing the trump of duality in discuss: upgrading POCER with questionnaire results	525

<b>Abstracts</b>	535
<b>B. Beck, P. Spanoghe, S. Pollet, F. Temmerman, M. Moens and D. Nuyttens</b> Optimizing applications of entomopathogenic nematodes in vegetables: an overview of a four-year research project	537
<b>I. Zwertvaegher, M. Verhaeghe, P. Verboven, F. Lebeau, M. Massinon and D. Nuyttens</b> Assessment of spray droplet impact to predict spray retention	538
<b>S. Ouled Taleb Salah</b> Assessment of spray retention on black grass leaves using rotary atomisers with comparison to hydraulic nozzles	539
<b>I. Van Daele, M. Abad-Molina, M. De Bolle Miguel, A. Dos Santos, D. Nuyttens, P. Verheesen, S. Watteyne, I. Zwertvaegher and M. Peferoen</b> Agrobody-mediated crop protection	540
<b>M. Houbraken, M. De Schampheleire, D. Dekeyser, D. Nuyttens, M.C. Butler Ellis, F. Van den Berg and P. Spanoghe</b> Computed volatilisation of pesticides under field condition	541
<b>Posters – Application technology, pesticide residues, toxicology and ecotoxicology</b>	543
<b>S. Gvozdencic, D. Indic, S. Vukovic, N. Markovic and A. Takac</b> Phyto-indicators in detection of lindane residues in water	545
<b>E. Yahia, M.A. Aiche, A. Chouabbia and M.S. Boulakoud</b> Sub-chronic mancozeb treatment induced liver toxicity via oxidative stress in male wistar rats	553
<b>J. Lehel, D. Cajcsi, Cs. Jakab, A. Gruz, E. Kormos, G. Somody, P. Budai and R. Szabo</b> Toxic interaction of chlorpyrifos and copper sulphate on chicken embryo	561
<b>Abstracts</b>	567
<b>H. Wustenberghs, I. Delcour, K. D’Haene, D. Fevery, L. Lauwers, F. Marchand, N. Taragola, W. Steurbaut and P. Spanoghe</b> Introducing the discuss indicator set in farmers’ discussion groups	569
<b>M. Haramboure, G. Smaghe, J. Niu, L. Mirande, G. Gutierrez, L. Goeteyn, P. Spanoghe, R. Adolfo Alzogaray and M. Ines Schneider</b> Monitoring of insecticide resistance in two populations of <i>Chrysoperla externa</i> (Neuroptera: Chrysoperla)	571



<b>C. De Smedt, L. Vandermersch and P. Spanoghe</b> Adsorption of pesticides on zeolites	572
<b>M. Houbraken, X. Guy and P. Spanoghe</b> Effect of additives on the dissipation of pesticides on the solid/gas interface	573
<b>N. Ducat, D. Villette, O. Pigeon and F. Debode</b> Development of an analytical tool as support for authentication of Belgian organic wheat	574
<b>D. Senaeve, P. Spanoghe, S. Pollet, M. Wuytack, I. Vandeveldel and A. Bogaert</b> Field evaluation of the dissipation rates of selected pesticides on greenhouse lettuce and cucumber and soil-grown leeks	575
<b>D. Fevery, E. Lievens, L. Janssens, C. Bragard and P. Spanoghe</b> Different methodologies for data collection on non-agricultural use of pesticides	576
<b>O. Almagrabi and Y.Y. Mosleh</b> Estimates of mean daily intakes of some pesticides from vegetable: a case study, Jeddah, Kingdom of Saudi Arabia	577
<b>H. Alzahrani and Y.Y. Mosleh</b> Analysis of some selected heavy metals and pesticides in medicinal plants collected from local market, Jeddah, Saudi Arabia	578
<b>I. Ben Salem, M. Boussabbeh, N. Soualeh, H. Bacha and S. Abid-Essefi</b> Oxidative damage induced in vitro by two organophosphate pesticides: Dichlorvos and Diazinon	579
<b>S. Sasso, L. Scrana, M.G. Bonomo, G. Ligrani, R. Laviano and S.A. Bufo</b> New bio-restoration methods of historical stone-buildings base on autochthonous microorganisms: biocalcite produced by <i>Bacillus thuringiensis</i>	580